

Material Safety Data Sheet (MSDS) - Morpholine

1. Chemical Product and Company Identification

Product Name : Morpholine

CAS# : 110-91-8

TSCA : TSCA 8(b) inventory: Morpholine

CI# : Not available.

Synonym: Tetrahydro-2H-1,4-oxazine

Chemical Formula : C4H9NO

COMPANY IDENTIFICATION

Supplier: Shanghai Chemex Group Ltd

Shanghai - China

24 Hour Health Emergency +86-2150591759

Email: info@shanghaichemex.com

Company Name	Place	EMERGENCY TELEPHONE NUMBER
Shanghai Chemex Group Ltd	china	Day Emergency – 044-26161803-26161809

2. Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Morpholine	110-91-8	100

Toxicological Data on Ingredients: Morpholine: ORAL (LD50): Acute: 1450 mg/kg [Rat]. 525 mg/kg [Mouse]. DERMAL (LD50): Acute: 500 mg/kg [Rabbit].

VAPOR (LC50): Acute: 11313.7 ppm 4 hour(s) [Rat].

3. Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or

Page 1 of 8 MSDS - Morpholine

shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

hemex

Potential Chronic Health Effects:

Very hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation. CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to lungs, mucous membranes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated or prolonged inhalation of vapors may lead to chronic respiratory irritation.

4. First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands: Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an antibacterial cream. Seek immediate medical attention.

<u>Inhalation:</u> Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous

Page 2 of 8 MSDS - Morpholine



to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

5. Fire and Explosion Data

Flammability of the Product : Flammable.

Auto-Ignition Temperature : 310°C (590°F)

Flash Points : CLOSED CUP: 35°C (95°F).

OPEN CUP: 38°C (100.4°F).

Flammable Limits : LOWER: 1.8% UPPER: 11.2%

Products of Combustion : These products are carbon oxides (CO, CO2),

nitrogen oxides (NO, NO2...).

Fire Hazards in Presence of Various Substances: Not available.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

Flammable liquid, soluble or dispersed in water.

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use alcohol foam, water spray or fog. Cool containing vessels with water

jet in order to prevent pressure build-up, autoignition or explosion.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.


6. Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill:

Page 3 of 8 MSDS - Morpholine



hemex

7. Handling and Storage

Precautions:

Keep container dry. Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Never add water to this product In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes

Storage:

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. A refrigerated room would be preferable for materials with a flash point lower than 37.8°C (100°F).

8. Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self- contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Page 4 of 8 MSDS - Morpholine



Exposure Limits:

TWA: 20 CEIL: 30 (ppm) TWA: 70 CEIL: 105 (mg/m3) Consult local authorities for

acceptable exposure limits.

9. Physical and Chemical Properties

Physical state and appearance: Colorless liquid

Odor: Weak ammonia-like or fish-like

Taste: Not available.

Molecular Weight: 87.12 g/mole

Color: Clear

Morphine (%wt): 99.5 % Water (%wt): 0.25%

pH: Strong base

color, Hazen (Pt-Co): ≤10

Boiling Point: ≥ 127 °C (260.6°F)

Melting Point: -5°C (23°F) Critical

Temperature: Not available. Specific

Density (g/cm3): 1.007

Vapor Pressure: 7 mm of Hg (@ 20°C)

Vapor Density: 3 (Air = 1) Volatility: 100% (v/v). Odor Threshold: 0.1 ppm

Odor Inresnoid: 0.1 ppm

Water/Oil Dist. Coeff.: Not available. Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility: Easily soluble in cold water.

10. Stability and Reactivity Data

Stability : The product is stable.

Instability Temperature : Not available.

Conditions of Instability : Not available.

Incompatibility with various substances: Not available.

Corrosivity : Non-corrosive in presence of glass.

Special Remarks on Reactivity : Not available. Special Remarks on Corrosivity : Not available.

Polymerization: No.

Page 5 of 8 MSDS - Morpholine



11. Toxicological Information

Routes of Entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals:

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 525 mg/kg [Mouse]. Acute dermal toxicity (LD50): 500 mg/kg [Rabbit]. Acute toxicity of the vapor (LC50): 11313.7 ppm 4 hour(s) [Rat].

<u>Chronic Effects on Humans:</u> The substance is toxic to lungs, mucous membranes.

Other Toxic Effects on Humans: Very hazardous in case of skin contact (irritant,

permeator), of ingestion, of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

12. Ecological Information

Ecotoxicity : Not available.
BOD5 and COD : Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

13. Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport Information

DOT Classification : Class 3: Flammable liquid.

Identification : Morpholine : UN2054 PG: III

Special Provisions for Transport : Not available.

Page 6 of 8 MSDS - Morpholine



15. Other Regulatory Information

Federal and State Regulations:

Pennsylvania RTK: Morpholine Massachusetts RTK: Morpholine TSCA 8(b) inventory:

Morpholine

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard

(29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada):

CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-

1B: Material causing immediate and serious toxic effects (TOXIC). CLASS E: Corrosive liquid.

DSCL (EEC):

R10- Flammable. R21/22- Harmful in contact with skin and if swallowed. R38- Irritating to skin. R41- Risk of serious damage to eyes.

HMIS (U.S.A.):

Health Hazard 3
Fire Hazard 3
Reactivity 0
Personal Protection : h

National Fire Protection Association (U.S.A.):

Health 3
Flammability 3
Reactivity 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

16. Other Information

Disclaimer:

The information and recommendations contained herein are, to the best of **Shanghai Chemex Group Ltd** knowledge and belief, accurate and reliable as of the date issued.

You can contact **Shanghai Chemex Group Ltd** to ensure that this document is the

Page 7 of 8 MSDS - Morpholine



most current available from **Shanghai Chemex Group Ltd.** The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, republicationor retransmission of this document, in whole or in part, is not permitted.

Page 8 of 8 MSDS - Morpholine